



# Mark Scheme (Results)

Summer 2022

Pearson Edexcel GCSE (9 – 1)  
In Mathematics (1MA1)  
Higher (Calculator) Paper 3H

## **Edexcel and BTEC Qualifications**

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at [www.edexcel.com](http://www.edexcel.com) or [www.btec.co.uk](http://www.btec.co.uk). Alternatively, you can get in touch with us using the details on our contact us page at [www.edexcel.com/contactus](http://www.edexcel.com/contactus).

## **Pearson: helping people progress, everywhere**

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: [www.pearson.com/uk](http://www.pearson.com/uk)

Summer 2022

Question Paper Log Number P66381A

Publications Code 1MA1\_3H\_2206\_MS

All the material in this publication is copyright

© Pearson Education Ltd 2022

## General marking guidance

These notes offer general guidance, but the specific notes for examiners appertaining to individual questions take precedence.

- 1** All candidates must receive the same treatment. Examiners must mark the last candidate in exactly the same way as they mark the first. Where some judgement is required, mark schemes will provide the principles by which marks will be awarded; exemplification/indicative content will not be exhaustive. When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the response should be sent to review.
- 2** All the marks on the mark scheme are designed to be awarded; mark schemes should be applied positively. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme. If there is a wrong answer (or no answer) indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

**Questions where working is not required:** In general, the correct answer should be given full marks.

**Questions that specifically require working:** In general, candidates who do not show working on this type of question will get no marks – full details will be given in the mark scheme for each individual question.

- 3** **Crossed out work**  
This should be marked **unless** the candidate has replaced it with an alternative response.
- 4** **Choice of method**  
If there is a choice of methods shown, mark the method that leads to the answer given on the answer line.  
If no answer appears on the answer line, mark both methods **then award the lower number of marks.**
- 5** **Incorrect method**  
If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks. Send the response to review for your Team Leader to check.
- 6** **Follow through marks**  
Follow through marks which involve a single stage calculation can be awarded without working as you can check the answer, but if ambiguous do not award.  
Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

**7 Ignoring subsequent work**

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question or its context. (eg an incorrectly cancelled fraction when the unsimplified fraction would gain full marks).

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect (eg. incorrect algebraic simplification).

**8 Probability**

Probability answers must be given as a fraction, percentage or decimal. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).

Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.

If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

**9 Linear equations**

Unless indicated otherwise in the mark scheme, full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously identified in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded (embedded answers).

**10 Range of answers**

Unless otherwise stated, when an answer is given as a range (eg 3.5 – 4.2) then this is inclusive of the end points (eg 3.5, 4.2) and all numbers within the range

**11 Number in brackets after a calculation**

Where there is a number in brackets after a calculation eg  $2 \times 6 (=12)$  then the mark can be awarded **either** for the correct method, implied by the calculation **or** for the correct answer to the calculation.

**12 Use of inverted commas**

Some numbers in the mark scheme will appear inside inverted commas eg "12"  $\times$  50 ; the number in inverted commas cannot be any number – it must come from a correct method or process but the candidate may make an arithmetic error in their working.

**13 Word in square brackets**

Where a word is used in square brackets eg [area]  $\times$  1.5 : the value used for [area] does **not** have to come from a correct method or process but is the value that the candidate believes is the area. If there are any constraints on the value that can be used, details will be given in the mark scheme.

**14 Misread**

If a candidate misreads a number from the question. eg uses 252 instead of 255; method or process marks may be awarded provided the question has not been simplified. Examiners should send any instance of a suspected misread to review.

### Guidance on the use of abbreviations within this mark scheme

<b>M</b>	method mark awarded for a correct method or partial method
<b>P</b>	process mark awarded for a correct process as part of a problem solving question
<b>A</b>	accuracy mark (awarded after a correct method or process; if no method or process is seen then full marks for the question are implied but see individual mark schemes for more details)
<b>C</b>	communication mark awarded for a fully correct statement(s) with no contradiction or ambiguity
<b>B</b>	unconditional accuracy mark (no method needed)
<b>oe</b>	or equivalent
<b>cao</b>	correct answer only
<b>ft</b>	follow through (when appropriate as per mark scheme)
<b>sc</b>	special case
<b>dep</b>	dependent (on a previous mark)
<b>indep</b>	independent
<b>awrt</b>	answer which rounds to
<b>isw</b>	ignore subsequent working

Paper: 1MA1/3H				
Question	Answer	Mark	Mark scheme	Additional guidance
1	7.5	M1  A1	for correct use of Pythagoras, eg $8.5^2 - 4^2 (= 56.25)$ or $4^2 + x^2 = 8.5^2$  for 7.5 or $7\frac{1}{2}$ or $\frac{15}{2}$	Must have values substituted Trigonometry may be used but M1 only awarded when complete method shown.
2 (a)	25	M1  A1	for $(T =) 4 \times (-3)^2 - 11$ or $4 \times (-3)^2 = 36$  cao	Can accept missing brackets.
(b)	$p = \frac{d-4}{3}$ oe	M1  A1	for a correct first step, eg. $d - 4 = 3p$ or $\frac{d}{3} = p + \frac{4}{3}$ or for $\frac{d-4}{3}$ as answer for $p = \frac{d-4}{3}$ oe	May be in unsimplified form, eg $d - 4 = 3p + 4 - 4$
3	1.5	P1  P1  P1  P1  A1	for process to develop 3 algebraic expressions, eg. $(R =) n$ , $(S =) 2n$ , $(T =) 2n - 6$ , oe, at least two must be correct. <b>or</b> for selecting 3 values satisfying the given criteria, eg. $(R =) 10$ , $(S =) 20$ , $(T =) 14$  for process to sum 3 algebraic expressions and equating to 54, eg. $n + "2n" + "2n - 6" = 54$ <b>or</b> for finding the correct sum of their values eg. $"10" + "20" + "14" = 44$  for start of process to solve the correct linear equation, eg. $5n = 54 + 6$ ( $n = 12$ ) <b>or</b> for 12, 24, 18  for $"12" : 2 \times "12" - 6$ oe eg $12 : 18$ oe or $18 : 12$ linked to T, R  for 1.5 or $\frac{3}{2}$ or $1\frac{1}{2}$	Accept 1 : 1.5 etc as answer

Paper: 1MA1/3H				
Question	Answer	Mark	Mark scheme	Additional guidance
4	Chic Decor with correct supporting evidence	<p>P1</p> <p>P1</p> <p>P1</p> <p>C1</p>	<p>for process to find cost of 15 rolls from Chic Decor, eg <math>\frac{15}{3} \times 36 (= 180)</math></p> <p>or</p> <p>for process to find cost of 15 rolls from Style Papers at normal price, eg <math>\frac{15}{5} \times 70 (= 210)</math></p> <p>or</p> <p>for process to find cost of 1 roll from Chic Decor, eg <math>36 \div 3 (= 12)</math></p> <p>or</p> <p>for process to find cost of 1 roll from Style Papers, eg <math>70 \div 5 (= 14)</math></p> <p>or</p> <p>for process to find the cost of 5 rolls from Chic Decor, eg <math>\frac{36}{3} \times 5 (= 60)</math></p> <p>for any first step in using the discount at Style Papers, eg <math>0.12 \times "210" (= 25.2(0))</math> or <math>0.12 \times "14" (= 1.68)</math> or <math>0.12 \times 70 (= 8.4(0))</math>  <b>or</b> <math>1 - 0.12 (= 0.88)</math></p> <p>for full process to find cost from Style Papers, eg. <math>"210" - "25.2" \text{ oe } (=184.8(0))</math> or <math>"0.88" \times "210"</math></p> <p>or for <math>"14" - "1.68" \text{ oe } (= 12.32)</math> or <math>"0.88" \times "14"</math></p> <p>or for <math>70 - "8.4(0)" \text{ oe } (= 61.6(0))</math> or <math>"0.88" \times 70</math></p> <p>for Chic Decor with fully correct figures  eg 180 and 184.8(0)  or 12 and 12.32  or 60 and 61.6(0)</p>	Could compare the costs for any number of rolls





Paper: 1MA1/3H				
Question	Answer	Mark	Mark scheme	Additional guidance
7	Complete chain of reasoning	M1	for (area of trapezium $TQRS = 0.5 \times 4x \times (2x + 3x)$ or for (area of rectangle $TUVS = 4x \times (3x + 5) (= 12x^2 + 20x)$	Evidence for the award of marks may be seen on the diagram  Alternative methods may be seen.
		M1	for (area of trapezium $QUVR = 4x(3x + 5) - 0.5 \times 4x \times (2x + 3x)$	
		C1	for correct algebraic processing and simplification to the given form	
		M1	<b>Alternative 1</b> for ( $QU = 3x + 5 - 2x (= x + 5)$	
		M1	for (area of trapezium $QUVR = 0.5 \times 4x \times ((x + 5) + 5)$ or $0.5 \times 4x \times (x + 10)$	
		C1	for correct algebraic processing and simplification to the given form	
		M1	<b>Alternative 2</b> for (area of triangle $= 0.5 \times (3x - 2x) \times 4x$ or for (area of rectangle $= 4x \times 5$	Accept $x$ for $(3x - 2x)$
		M1	for (area of trapezium $QUVR = 0.5 \times (3x - 2x) \times 4x + 4x \times 5$	
		C1	for correct algebraic processing and simplification to the given form	

Paper: 1MA1/3H				
Question	Answer	Mark	Mark scheme	Additional guidance
8 (a)	0.14	M1	for a method to find the gradient, eg. $14 \div 100$ using readings from the graph, at least one correct or for an answer of $0.14x$	Must use the scales on the graph
		A1	for answer in the range 0.135 to 0.145 or ft correct readings from the graph	May be expressed as a fraction
	(b) Cost per unit of electricity	C1	<p>for a correct explanation</p> <p><b>Acceptable examples</b>  eg cost of each unit (of electricity)  rate of change of cost with units of electricity used  cost per unit of electricity  each unit costs 14p  average cost charged for each unit of electricity used</p> <p><b>Not acceptable examples</b>  cost of how many units used  costs in pounds per number of units used  how much the cost of electricity goes up  the relationship of cost and number of units used  how steep it is</p>	

Paper: 1MA1/3H				
Question	Answer	Mark	Mark scheme	Additional guidance
9 (a)	$10^{60}$	M1	for a correct first step using one of the rules of indices, eg. $10^{150} \times 10^{90} = 10^{240}$ or $10^{360} \div 10^{150} = 10^{210}$ or $10^{360} \div 10^{90} = 10^{270}$ or $\sqrt{10^{360}} = 10^{180}$ or $\sqrt{10^{150}} = 10^{75}$ or $\sqrt{10^{90}} = 10^{45}$	
		M1	for correct use of rules of indices leading as far as $\sqrt{10^{120}}$ or $\frac{10^{180}}{10^{120}}$	
		A1	cao	
(b)	reason	C1	for correct reasoning  <b>Acceptable examples</b> eg should do $50 \times 2$ (not $50^2$ ) because $(12^{50})^2 = 12^{100}$ because when you have a power inside and outside the bracket you times them because $(a^b)^c = a^{bc}$ (not $a^{b^c}$ )  <b>Not acceptable examples</b> because you need to multiply everything in the brackets by 2 because he should have squared 12 as well you add the powers instead of timesing	

Paper: 1MA1/3H				
Question	Answer	Mark	Mark scheme	Additional guidance
10	24000	<p>P1</p> <p>P1</p> <p>A1</p>	<p>for use of either 0.9 or 0.875 or for 18900 (after 2 years)</p> <p>for using <math>0.9^2 \times 0.875 (= 0.70875)</math> oe or for 21000 (after 1 year)</p> <p>cao</p>	
11	240	<p>M1</p> <p>A1</p>	<p>for <math>16 \times 5 \times 3</math></p> <p>cao</p>	
12	23.4	<p>M1</p> <p>M1</p> <p>A1</p> <p><b>Alternative</b></p> <p>M1</p> <p>M1</p> <p>A1</p>	<p>for stating that <math>AC = 8</math> or for a relationship that may be used to find <math>AC</math> eg <math>(AC =) 8 \times \tan 45</math> or <math>\tan 45 = \frac{AC}{8}</math></p> <p>for relationship that may be used to find <math>AB</math>, eg <math>\sin (20) = "8" \div AB</math> or <math>(AB =) \frac{"8"}{\sin 20}</math></p> <p>for answer in the range 23.3 to 23.4</p> <p><b>Alternative</b></p> <p>for a relationship that may be used to find <math>AD</math> eg <math>\cos (45) = 8 \div AD</math> oe or <math>(AD =) 11.3(13\dots)</math></p> <p>for a relationship that may be used to find <math>AB</math>, eg <math>\frac{AB}{\sin 45} = \frac{"11.3"}{\sin 20}</math></p> <p>for answer in the range 23.3 to 23.4</p>	<p>May be seen on diagram May use the sine rule</p> <p>If an answer is given in the range in working and then rounded incorrectly award full marks.</p> <p>May be seen on diagram</p> <p>If an answer is given in the range in working and then rounded incorrectly award full marks.</p>

Paper: 1MA1/3H				
Question	Answer	Mark	Mark scheme	Additional guidance
13	$\begin{pmatrix} -1 \\ 4 \end{pmatrix}$	M1  M1  A1	for $3\begin{pmatrix} 2 \\ -3 \end{pmatrix} - 2\mathbf{b} = \begin{pmatrix} 8 \\ -17 \end{pmatrix}$ oe or for $\begin{pmatrix} 6 \\ -9 \end{pmatrix}$  for $2\mathbf{b} = \begin{pmatrix} 3 \times 2 - 8 \\ 3 \times -3 - -17 \end{pmatrix} (= \begin{pmatrix} -2 \\ 8 \end{pmatrix})$ oe or $-2\mathbf{b} = \begin{pmatrix} 8 - 3 \times 2 \\ -17 - 3 \times -3 \end{pmatrix} (= \begin{pmatrix} 2 \\ -8 \end{pmatrix})$ oe or for one element correct, -1 or 4  cao  (if M0 scored, SC B1 for $\begin{pmatrix} 1 \\ -4 \end{pmatrix}$ )	Must see “ $2\mathbf{b} = \dots$ ” or “ $-2\mathbf{b} = \dots$ ” to award 2 marks  One correct element scores 2 marks
14 (a)	$4(p-3)(p+3)$	M1  A1	for $4(p^2 - 9)$ or partial factorisation which includes the product of 2 linear factors eg. $(4p - 12)(p + 3)$ or $(p - 3)(4p + 12)$ or $(2p - 6)(2p + 6)$ or $2(2p - 6)(p + 3)$ or $2(2p + 6)(p - 3)$ or $2(p - 3)2(p + 3)$  for $4(p - 3)(p + 3)$	
(b)	$6m^3 + 11m^2 - 57m - 20$	M1  M1  A1	for a method to find the product of two linear expressions, 3 correct terms out of 4 terms, eg. $6m^2 + 2m - 15m - 5 = 6m^2 - 13m - 5$ or $2m^2 + 8m - 5m - 20 = 2m^2 + 3m - 20$ or $3m^2 + 12m + m + 4 = 3m^2 + 13m + 4$  for a complete method to obtain all terms, at least half of which are correct (ft their first product), eg. $6m^3 + 2m^2 - 15m^2 + 24m^2 + 8m - 60m - 5m - 20$  for $6m^3 + 11m^2 - 57m - 20$	Note that, for example, $3m - 20$ is regarded as three terms in the expansion of $(m + 4)(2m - 5)$  First product must be a 3 or 4 term quadratic but need not be simplified or may be incorrect. Accept $a = 6$ , $b = 11$ , $c = -57$ , $d = -20$

Paper: 1MA1/3H				
Question	Answer	Mark	Mark scheme	Additional guidance
15	Proof	C1	for angle $PQX$ = angle $SRX$ as <u>angles</u> in the <u>same segment</u> are equal (or <u>angles</u> at the circumference <u>subtended</u> from the same <u>arc/chord</u> of a circle are equal)	Underlined words need to be shown; reasons need to be linked to their method.  Could be shown on the diagram
			or angle $QPX$ = angle $RSX$ as <u>angles</u> in the <u>same segment</u> are equal (or <u>angles</u> at the circumference <u>subtended</u> from the same <u>arc/chord</u> of a circle are equal)	
			or angle $PXQ$ = angle $SXR$ as vertically <u>opposite angles</u> / <u>vertically opposite angles</u> are equal  <b>or</b> for identifying two pairs of corresponding equal angles with no reason given	
		C1	for identifying two pairs of corresponding equal angles with correct reasons given	
		C1	for stating that the triangles are similar because all three pairs of corresponding angles are equal with complete reasons given.	Note that the students third/final reason may be: <u>Angles</u> in a <u>triangle</u> add up to 180
16	17.4	B1	for stating any correct bound, eg. 6.75 or 6.85 or 0.045 or 0.055	Accept 6.849 or 6.8499... for 6.85 and 0.0549 or 0.05499.. for 0.055
		M1	using both UB of $e$ and LB of $f$ to work out value of $2e \div f$ , eg $2[\text{UB of } e] \div [\text{LB of } f]$ or $\frac{2 \times 6.85}{0.045}$	$6.8 < \text{UB}(e) \leq 6.85$ $0.045 \leq \text{LB}(f) < 0.05$
		A1	for answer in the range 17.4 to 17.5 from correct working	If an answer is given in the range in working and then rounded incorrectly award full marks. Award 0 marks for a correct answer with no (or incorrect) supportive working

Paper: 1MA1/3H				
Question	Answer	Mark	Mark scheme	Additional guidance
17 (a)	histogram drawn	B3	for fully correct histogram, eg. relative heights 90, 96, 44, 8, 6	Evidence for this mark may be seen on the diagram Any 2 numbers in the ratio 2.5 : 1 score M1
		(B2	for 4 correct bars <b>or</b> for frequency $\div$ class interval for all 5 frequencies and 2 correct bars of different widths)	
		(B1	for 2 correct bars of different widths <b>or</b> for frequency $\div$ class interval for at least 3 frequencies)	
(b)	$0.4n$	M1	for finding ratio of heights or widths of bars, eg $5 : 1$ or $\frac{1}{5}$ , $1 : 2$ <b>or</b> $\frac{n}{5}$ oe or $2n$ oe as answer <b>or</b> compares areas of bars, eg 6 and 2.4 or 3 and 1.2 or 150 and 60	
		A1	for $0.4n$ oe	
18	30.6	P1	for process to find $TC$ , eg. ( $TC =$ ) $14 \times \frac{3}{3+4}$ ( $= 6$ )	Lengths of $TC$ , $TD$ , $SD$ may be seen on the diagram  A complete set of processes to find the angle is needed where an alternative route is involved with more than one stage in the working If an answer is given in the range in working and then rounded incorrectly award full marks.
		P1	for process to find $TD$ , eg. ( $TD =$ ) $\sqrt{14^2 + "6"{}^2}$ or $\sqrt{232}$ or $2\sqrt{58}$ ( $= 15.2\dots$ )	
		P1	for process to find $SD$ , using area of a trapezium, $147 = 0.5 \times (SD + 12) \times 14$ , or $SD = 9$	
		P1	for $\tan^{-1}\left(\frac{"9"}{"15.2\dots"}\right)$	
		A1	for answer in the range 30.4 to 30.7	

Paper: 1MA1/3H				
Question	Answer	Mark	Mark scheme	Additional guidance
19	$\frac{-11x+2}{x^2-4}$	M1	for writing at least one of the 3 terms with a denominator of $(x^2 - 4)$ or $(x - 2)(x + 2)$  eg. $\frac{3x(x-2)}{x^2-4}$ oe or $\frac{(x+2)(2x+1)}{x^2-4}$ oe or $\frac{x^2-4}{x^2-4}$	Students may work with a denominator of $(x - 2)(x + 2)$ for the first 3 marks   



Paper: 1MA1/3H				
Question	Answer	Mark	Mark scheme	Additional guidance
21	$\frac{11}{21}$	<p>P1</p> <p>P1</p> <p>P1</p> <p>A1</p>	<p>for any product of 3 probabilities of the form <math>\frac{a}{9} \times \frac{b}{8} \times \frac{c}{7}</math> where <math>a &lt; 9, b &lt; 8, c &lt; 7</math></p> <p>for a product of 3 probabilities giving an even sum, eg. E,E,E = <math>\frac{4}{9} \times \frac{3}{8} \times \frac{2}{7}</math> or E,O,O = <math>\frac{4}{9} \times \frac{5}{8} \times \frac{4}{7}</math></p> <p>for summing the product of at least three correct triples, eg (E,E,E + E,O,O + O,O,E =) <math>\frac{4}{9} \times \frac{3}{8} \times \frac{2}{7} + \frac{4}{9} \times \frac{5}{8} \times \frac{4}{7} + \frac{5}{9} \times \frac{4}{8} \times \frac{4}{7}</math> OR <math>3(\frac{4}{9} \times \frac{5}{8} \times \frac{4}{7})</math></p> <p>for <math>\frac{11}{21}</math> oe</p> <p>SCB1 for answer of <math>\frac{364}{729}</math> (replacement)</p>	<p>May see fraction with denominator 504</p> <p>Students who indicate they are using the approach <math>P(\text{even}) = 1 - P(\text{odd})</math> should be given credit as appropriate</p> <p>Accept any equivalent fraction, decimal form 0.52(38...) or percentage form 52(.38...)%</p>

Paper: 1MA1/3H				
Question	Answer	Mark	Mark scheme	Additional guidance
22	$(-3, -11)$ and $(5.5, 6)$	M1	for method to eliminate one variable, eg $(2x - 5)^2 = 6x^2 - 25x - 8$ or $y^2 = 6\left(\frac{y+5}{2}\right)^2 - 25\left(\frac{y+5}{2}\right) - 8$	
		M1	for expanding the square to give, eg. $4x^2 - 20x + 25 = 6x^2 - 25x - 8$ or $y^2 = 6\left(\frac{y^2+10y+25}{4}\right) - 25\left(\frac{y+5}{2}\right) - 8$	
		M1	for method to solve equation $2x^2 - 5x - 33 (= 0)$ , eg $(2x - 11)(x + 3) (= 0)$ or $x = \frac{- -5 \pm \sqrt{(-5)^2 - 4 \times 2 \times -33}}{2 \times 2}$ or $-3, 5.5$ oe or for method to solve equation $2y^2 + 10y - 132 (= 0)$ , eg. $(2y + 22)(y - 6) (= 0)$ or $y = \frac{-10 \pm \sqrt{10^2 - 4 \times 2 \times -132}}{2 \times 2}$ or $-11, 6$	
		A1	for $(-3, -11)$	
		A1	for $(5.5, 6)$ oe	

## **Modifications to the mark scheme for Modified Large Print (MLP) papers: 1MA1 3H**

Only mark scheme amendments are shown where the enlargement or modification of the paper requires a change in the mark scheme. Notes apply to both MLP papers and Braille papers unless otherwise stated.

The following tolerances should be accepted on marking MLP papers, unless otherwise stated below:

Angles:  $\pm 5^\circ$

Measurements of length:  $\pm 5$  mm

---

**PAPER: 1MA1\_3H**

<b>Question</b>		<b>Modification</b>	<b>Mark scheme notes</b>
1		Wording added 'Look at the diagram for Question 1 in the Diagram Booklet. It shows a right-angled triangle, ABC.' Diagram enlarged. The diagram labelled ABC. Wording added: 'AB = 4 cm AC = 8.5 cm BC = $x$ cm'. Wording added 'Angle ABC is a right angle.' The right angle made more obvious.	Standard mark scheme
2	(b)	The letter ' $d$ ' changed to ' $n$ '	Standard mark scheme but note the change of letter
3		Wording added 'Look at the information for Question 3 in the Diagram Booklet.' Wording added 'as shown in the ratio.'	Standard mark scheme
4		Wording added 'Look at the information for Question 4 in the Diagram Booklet.' Wording added 'The information in the Diagram Booklet shows the cost...'. Diagram enlarged. The information stacked vertically.	Standard mark scheme
5		Wording added 'Look at the diagram for Question 5 in the Diagram Booklet. It shows a frequency polygon.' Wording added 'The table below...'. Wording added 'Amos draws the frequency polygon in the Diagram Booklet...'. Diagram enlarged. Open headed arrows. Change the crosses to dots. The axes labels moved to the top of the vertical axis and to the left of the horizontal axis.	Standard mark scheme
7		The letter $x$ changed to $y$ . Wording added 'Look at the diagram for Question 7 in the Diagram Booklet. It shows...'. Wording added: 'TQ = $2y$ cm, TS = $4y$ cm, SR = $3y$ cm, RV = 5 cm' Wording added 'The trapezium QUVR is shaded.' Diagram enlarged. Open headed arrows. The text moved out of the arrows. Shading changed.	Standard mark scheme
8		Wording added 'Look at the diagram for Question 8 in the Diagram Booklet. It shows a graph.' Wording added 'David uses the graph in the Diagram Booklet...'. Diagram enlarged. Right axes labelled. Open headed arrows. Remove the small squares. The axes labels moved to the top of the vertical axis and to the left of the horizontal axis.	Standard mark scheme

12		<p>Wording added ‘Look at the diagram for Question 12 in the Diagram Booklet.’</p> <p>Wording added ‘...are right-angled triangles with a common side AC.’</p> <p>Wording added ‘Angle ACD and angle ACB are right-angles.’</p> <p>Diagram enlarged. The angles moved outside of the angle arcs and the angle arcs made smaller.</p>	Standard mark scheme
15		<p>Wording added ‘Look at the diagram for Question 15 in the Diagram Booklet.’</p> <p>Diagram enlarged.</p>	Standard mark scheme
16		<p>Letter ‘<i>e</i>’ changed to ‘<i>t</i>’. Letter ‘<i>f</i>’ changed to ‘<i>u</i>’.</p>	Standard mark scheme but note change of letters.
17	(a)	<p>The values changed: 48 changed to 50. 22 changed to 30. 8 changed to 20. 12 changed to 20.</p> <p>Wording added ‘Look at the diagram for Question 17(a) in the Diagram Booklet. It shows a grid.’</p> <p>Wording added ‘The table below...’. ‘On the grid in the Diagram Booklet...’.</p> <p>Diagram enlarged. Small squares removed. Open headed arrows. Grid reduced in size.</p> <p>Axes labels moved to the top of the vertical axis and to the left of the horizontal axis.</p>	<p>Standard mark scheme but note change in values: relative heights: 90, 100, 60, 20, 10</p>

17

(b)

Wording added ‘Look at the diagram for Question 17(b) in the Diagram Booklet. It is a histogram which shows...’.


The values changed:  $0.5 - 1$  moved up to 30 small squares (6 squares high);

$1 - 2$  moved up to 25 small squares (5 squares high);  $3 - 5$  moved up to 5 small squares (1 square high)

Diagram enlarged. Small squares removed. Open headed arrows. Shading changed.

The axes labels moved to the top of the vertical axis and to the left of the horizontal axis.

Question 17(b)



**M1** for comparing the heights of the bars of the two intervals, showing them in the ratio 5 : 2, eg. height of 1 - 2 = 5 units and height of 3 - 5 = 1 unit

or compares areas of bars, eg 10 and 4

**A1** for  $0.4n$  oe

18	<p>Open-fronted model provided with a dowel from S to T and D to T. A wedge placed at DTS. DC is labelled with 14 cm.</p> <p>Wording added ‘Look at Diagram 1 and Diagram 2 for Question 18 in the Diagram Booklet. You may be provided with a model.’</p> <p>Wording added ‘Diagram 1 and the model show a prism ABCDSPQR.’ ‘...a trapezium of area <math>147 \text{ cm}^2</math> as shown in Diagram 2’; ‘CD = 14cm.’</p> <p>Diagram 1 to show the original diagram. The line ‘DT’ joined with a dotted line and an angle arc added.</p> <p>Diagram 2 to show SRCD with 12 cm, 14 cm and two right angles marked. Diagrams enlarged.</p> <p>The dashed lines made longer and thicker.</p> <p>Braille: For <b>ALL</b> candidates, provide a <b>simplified 2D diagram</b> of the cross section SRCD.</p> <p>Wording added: “Look at the diagram for Question 18 in the separate Diagram Booklet. The diagram is NOT accurately drawn. The diagram is a simplified 2D diagram of the cross section of the prism.”</p>	Standard mark scheme
20	<p>Wording added ‘Look at the table for Question 20 in the Diagram Booklet.’</p> <p>Wording added ‘The table in the Diagram Booklet...’. Table turned vertical.</p>	Standard mark scheme
21	<p>Wording added ‘Look at the diagram for Question 21 in the Diagram Booklet. It shows Ray’s nine cards numbered 1 to 9.’ Diagram enlarged.</p> <p>Braille: Text frames removed and the numbers listed.</p> <p>Words changed to “Ray has nine cards numbered 1 to 9, as listed below.”</p>	Standard mark scheme

